

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1184	"MI B" and monitor\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:38
L4	890	L3 and (@rlad<"20030627" @ad<"20030627")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:38
L5	55	L4 and (object near2 class) and ((alert\$3 notification notify\$3) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:38
L6	0	"5995916" and threshol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:49
L7	23	"5995916" and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:49
L8	0	"5995916".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:50
L9	13125	709/223,224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:06
L10	257	9 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:06
L11	200	10 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:06
L12	2	((("6816898") or ("6795403"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
L13	1	("6795403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
L14	1	("20050015485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07

L15	0	L14 and (class adj defintion)	USPAT	OR	OFF	2008/05/02 18:07
L16	0	L14 and (class near2 defintion)	USPAT	OR	OFF	2008/05/02 18:07
L17	0	"20050015485"	USPAT	OR	OFF	2008/05/02 18:07
L18	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
L19	0	L18 and (class near2 defintion)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L20	1	L18 and (class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L21	1	L18 and (class) and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L22	0	L18 and (class) and machine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L23	76	"6606690"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L24	2	"20020194415"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L25	6	"60286320"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L26	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L27	1	"20050015485" and "definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L28	4	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

L29	3530565	agent\$2 program\$2 template\$2 codes software cookie\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L30	1666800	monitor\$3 supervis\$3 manag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L31	64944	(hardware (hard near2 ware)) with (characteristic profile\$2 statics definition information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L32	448510	L29 same L30 sme L31	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L33	2765	L29 same L30 same L31	USPAT	OR	OFF	2008/05/02 18:07
L34	1577	L33 and parameters	USPAT	OR	OFF	2008/05/02 18:07
L35	57	L34 and (memory near2 usage)	USPAT	OR	OFF	2008/05/02 18:07
L36	14	L35 and temperature	USPAT	OR	OFF	2008/05/02 18:07
L37	0	L36 and (CPU adj usage)	USPAT	OR	OFF	2008/05/02 18:07
L38	0	L36 and (CPU near2 usage)	USPAT	OR	OFF	2008/05/02 18:07
L39	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L40	965	GUI near5 JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L41	289	L40 and ((monitor\$3 manag\$5) near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L42	243	L41 and (@rlad<"20030623"@ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L43	234	L42 and (template\$2 module\$2 (class near2 definition) object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L44	229	L42 and (template\$2 module\$2 (class near2 definition) object\$2) and (repository database memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

L45	151	L42 and ((template\$2 module \$2 (class near2 definition) object\$2) near10 (repository database memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L46	1	"6816890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L47	0	(select\$3 choos\$3) near2 (templat\$3 module\$2 object \$2 code\$2 file\$2 class\$2) near3 (associat\$3 bas\$3) near3 (characteric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L48	1444	(buil\$4 mak\$3) near2 (agent \$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L49	0	L48 and (agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L50	0	L48 and ((agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L51	70	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L52	48	L51 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L53	13	L52 and (agent\$2 gateway\$2 application\$2) near2 (templat \$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L54	0	"6032183".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L55	72	"5101348"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L56	1	"5101348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L57	0	"5101348".pn. and JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

L58	3	Agent near2 updat\$3 near2 dynamic\$4 near2 (templat\$4 table\$2 modul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L59	11811	SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L60	17	L59 and (agent\$2 near2 load \$2 near2(templat\$3 software \$2 module\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L61	10	L60 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L62	4	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L63	14503	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L64	14525	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L65	7336	709/225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L66	7205	709/226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L67	1	"6816898".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L68	1	"6842781".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L69	2	((("6816898") or ("6795403")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
L70	1	("6795403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07

L71	1	("20050015485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
L72	0	L71 and (class adj defintion)	USPAT	OR	OFF	2008/05/02 18:07
L73	0	L71 and (class near2 defintion)	USPAT	OR	OFF	2008/05/02 18:07
L74	0	"20050015485"	USPAT	OR	OFF	2008/05/02 18:07
L75	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
L76	0	L75 and (class near2 defintion)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L77	1	L75 and (class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L78	1	L75 and (class) and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L79	0	L75 and (class) and machine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L80	76	"6606690"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L81	2	"20020194415"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L82	6	"60286320"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L83	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L84	1	"20050015485" and "definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

L85	4	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L86	3530565	agent\$2 program\$2 template \$2 codes software cookie\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L87	1666800	monitor\$3 supervis\$3 manag \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L88	64944	(hardware (hard near2 ware)) with (characteristic profile\$2 statics definition information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L89	448510	L86 same L87 sme L88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L90	2765	L86 same L87 same L88	USPAT	OR	OFF	2008/05/02 18:07
L91	1577	L90 and parameters	USPAT	OR	OFF	2008/05/02 18:07
L92	57	L91 and (memory near2 usage)	USPAT	OR	OFF	2008/05/02 18:07
L93	14	L92 and temperature	USPAT	OR	OFF	2008/05/02 18:07
L94	0	L93 and (CPU adj usage)	USPAT	OR	OFF	2008/05/02 18:07
L95	0	L93 and (CPU near2 usage)	USPAT	OR	OFF	2008/05/02 18:07
L96	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L97	965	GUI near5 JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L98	289	L97 and ((monitor\$3 manag \$5) near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L99	243	L98 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L100	234	L99 and (template\$2 module \$2 (class near2 definition) object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

L101	229	L99 and (template\$2 module \$2 (class near2 definition) object\$2) and (repository database memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L102	151	L99 and ((template\$2 module \$2 (class near2 definition) object\$2) near10 (repository database memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L103	1	"6816890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L104	0	(select\$3 choos\$3) near2 (templat\$3 module\$2 object \$2 code\$2 file\$2 class\$2) near3 (associat\$3 bas\$3) near3 (characteric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L105	1444	(buil\$4 mak\$3) near2 (agent \$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L106	0	L105 and (agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L107	0	L105 and ((agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L108	70	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L109	48	L108 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L110	13	L109 and (agent\$2 gateway \$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L111	0	"6032183".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L112	72	"5101348"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L113	1	"5101348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07



L114	0	"5101348".pn. and JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L115	3	Agent near2 updat\$3 near2 dynamic\$4 near2 (templat\$4 table\$2 modul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L116	11811	SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L117	17	L116 and (agent\$2 near2 load \$2 near2(templat\$3 software \$2 module\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L118	10	L117 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L119	4	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L120	14503	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L121	14525	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L122	7336	709/225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L123	7205	709/226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L124	1	"6842781".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L125	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L126	4633236	@ad<"20030627" @rlad<"20030627"	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L127	2945	object near2 oriented near2 class	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07

L128	0	L127 and (object near2 classes near2 hierachy)	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L129	3	L127 and (object near5 hierachy)	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L130	10	(object near5 hierachy)	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L131	8	L130 and L126	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L132	4	object near2 oriented near2 class and hierachy	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L133	3	L132 and L126	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L134	1616	object near2 oriented near2 class and hierarchy	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L135	7725	(object near5 hierarchy)	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L136	719	L135 and L127 and L126	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L137	2	L136 and java and pearl	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L138	2	"20020038206"	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L139	2	L136 and pearl	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L140	419	L136 and java	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L141	6822	script near2 program	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L142	22	L140 and L141	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
L143	9	("5794259"   "5973696"   "6023578"   "6115719"   "6249291"   "6446109"   "6476828"   "6558431"   "6598219").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/02 18:07
L144	1	"20050015485" and hierarchy	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/02 18:07
L145	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L146	1	"6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L147	1	"6349306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

L148	2	"6349306".pn. "6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L149	1	L148 and (threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L150	0	L148 and (cpu near2 usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L151	2	L148 and (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L152	52200	object near2 orient\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L153	2480	L152 same hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L154	26309	monitor\$3 with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L155	136	L153 and L154	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L156	13972053	@ad<"20030627" @rlad<"20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L157	1141	L155 and12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L158	119	L155 and L156	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L159	9325	class same hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L160	102	L158 and L159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

L161	1	"6349306".pn. and monitor \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L162	0	"6061724".pn. and monitor \$3 and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L163	1	"6061724".pn. and monitor \$3 and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L164	1184	"MI B" and monitor\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L165	890	L3 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L166	890	L3 and (@rlad<"20030627" @ad<"20030627")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L167	135	L4 and (object near2 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L168	0	"6061724" and (monitor\$3 near2 parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
L169	13	"6061724" and (monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S1	2	((("6816898") or ("6795403")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/01 13:59
S2	1	("6795403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/16 18:08
S3	1	("20050015485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/17 16:38
S4	0	S3 and (class adj defintion)	USPAT	OR	OFF	2005/11/17 16:38
S5	0	S3 and (class near2 defintion)	USPAT	OR	OFF	2005/11/17 16:39

S6	0	"20050015485"	USPAT	OR	OFF	2005/11/17 16:39
S7	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/17 16:46
S8	0	S7 and (class near2 defintion)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 16:39
S9	1	S7 and (class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 16:45
S10	1	S7 and (class) and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 16:48
S11	0	S7 and (class) and machine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 16:48
S12	6	"6606690"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 16:19
S13	1	"20020194415"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 16:19
S14	4	"60286320"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 18:35
S15	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 18:35
S16	1	"20050015485" and "definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 18:39
S17	1	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 18:58
S18	2814612	agent\$2 program\$2 template \$2 codes software cookie\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 19:01
S19	1248467	monitor\$3 supervis\$3 manag \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 19:02

S20	40764	(hardware (hard near2 ware)) with (characteristic profile\$2 statics definition information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 19:05
S21	305705	S18 same S19 sme S20	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 19:05
S22	1857	S18 same S19 same S20	USPAT	OR	OFF	2005/11/18 19:07
S23	1034	S22 and parameters	USPAT	OR	OFF	2005/11/18 19:07
S24	35	S23 and (memory near2 usage)	USPAT	OR	OFF	2005/11/18 19:07
S25	10	S24 and temperature	USPAT	OR	OFF	2005/11/18 19:08
S26	0	S25 and (CPU adj usage)	USPAT	OR	OFF	2005/11/18 19:07
S27	0	S25 and (CPU near2 usage)	USPAT	OR	OFF	2005/11/18 19:07
S28	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:16
S29	693	GUI near5 JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:17
S30	207	S29 and ((monitor\$3 manag \$5) near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:19
S31	187	S30 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S32	179	S31 and (template\$2 module \$2 (class near2 definition) object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:26
S33	174	S31 and (template\$2 module \$2 (class near2 definition) object\$2) and (repository database memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:26
S34	113	S31 and ((template\$2 module \$2 (class near2 definition) object\$2) near10 (repository database memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:33
S35	1	"6816890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:43

S36	0	(select\$3 choos\$3) near2 (templat\$3 module\$2 object \$2 code\$2 file\$2 class\$2) near3 (associat\$3 bas\$3) near3 (characteric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:52
S37	1078	(buil\$4 mak\$3) near2 (agent \$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S38	0	S37 and (agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:55
S39	0	S37 and ((agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S40	45	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S41	38	S40 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S42	12	S41 and (agent\$2 gateway\$2 application\$2) near2 (templat \$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:50
S43	0	"6032183".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:50
S44	60	"5101348"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:51
S45	1	"5101348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:57
S46	0	"5101348".pn. and JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:52
S47	1	Agent near2 updat\$3 near2 dynamic\$4 near2 (templat\$4 table\$2 modul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:58
S48	7874	SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:59

S49	10	S48 and (agent\$2 near2 load \$2 near2(templat\$3 software \$2 module\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 14:00
S50	7	S49 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 14:00
S51	2	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S52	8790	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S53	8913	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S54	4519	709/225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S55	4297	709/226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S56	1	"6816898".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:15
S57	1	"6842781".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:15
S58	2	((("6816898") or ("6795403")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/23 14:21
S59	1	("6795403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/23 14:21
S60	1	("20050015485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/23 14:21
S61	0	S60 and (class adj defintion)	USPAT	OR	OFF	2006/10/23 14:21
S62	0	S60 and (class near2 defintion)	USPAT	OR	OFF	2006/10/23 14:21



S63	0	"20050015485"	USPAT	OR	OFF	2006/10/23 14:21
S64	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/23 14:21
S65	0	S64 and (class near2 defintion)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S66	1	S64 and (class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S67	1	S64 and (class) and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S68	0	S64 and (class) and machine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S69	23	"6606690"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S70	2	"20020194415"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S71	6	"60286320"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S72	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S73	1	"20050015485" and "definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S74	2	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S75	3074485	agent\$2 program\$2 template \$2 codes software cookie\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S76	1402866	monitor\$3 supervis\$3 manag \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21

S77	49423	(hardware (hard near2 ware)) with (characteristic profile\$2 statics definition information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S78	357884	S75 same S76 sme S77	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S79	2179	S75 same S76 same S77	USPAT	OR	OFF	2006/10/23 14:21
S80	1230	S79 and parameters	USPAT	OR	OFF	2006/10/23 14:21
S81	44	S80 and (memory near2 usage)	USPAT	OR	OFF	2006/10/23 14:21
S82	11	S81 and temperature	USPAT	OR	OFF	2006/10/23 14:21
S83	0	S82 and (CPU adj usage)	USPAT	OR	OFF	2006/10/23 14:21
S84	0	S82 and (CPU near2 usage)	USPAT	OR	OFF	2006/10/23 14:21
S85	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S86	769	GUI near5 JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S87	227	S86 and ((monitor\$3 manag \$5) near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S88	204	S87 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S89	195	S88 and (template\$2 module \$2 (class near2 definition) object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S90	190	S88 and (template\$2 module \$2 (class near2 definition) object\$2) and (repository database memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S91	122	S88 and ((template\$2 module \$2 (class near2 definition) object\$2) near10 (repository database memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S92	1	"6816890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21

S93	0	(select\$3 choos\$3) near2 (templat\$3 module\$2 object \$2 code\$2 file\$2 class\$2) near3 (associat\$3 bas\$3) near3 (characteric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S94	1185	(buil\$4 mak\$3) near2 (agent \$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S95	0	S94 and (agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S96	0	S94 and ((agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S97	49	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S98	41	S97 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S99	12	S98 and (agent\$2 gateway\$2 application\$2) near2 (templat \$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S100	0	"6032183".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S101	64	"5101348"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S102	1	"5101348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S103	0	"5101348".pn. and JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S104	2	Agent near2 updat\$3 near2 dynamic\$4 near2 (templat\$4 table\$2 modul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S105	8802	SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21

S106	16	S105 and (agent\$2 near2 load\$2 near2(templat\$3 software\$2 module\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S107	9	S106 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S108	2	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S109	10086	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S110	10222	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S111	5191	709/225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S112	5044	709/226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S113	1	"6842781".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 17:27
S114	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 17:27
S115	4601142	@ad<"20030627" @rlad<"20030627"	US-PGPUB; USPAT	OR	ON	2007/12/19 13:57
S116	2832	object near2 oriented near2 class	US-PGPUB; USPAT	OR	ON	2007/12/19 14:15
S117	0	S116 and (object near2 classes near2 hierachy)	US-PGPUB; USPAT	OR	ON	2007/12/19 14:12
S118	3	S116 and (object near5 hierachy)	US-PGPUB; USPAT	OR	ON	2007/12/19 14:14
S119	10	(object near5 hierachy)	US-PGPUB; USPAT	OR	ON	2007/12/19 14:17
S120	8	S119 and S115	US-PGPUB; USPAT	OR	ON	2007/12/19 14:14
S121	4	object near2 oriented near2 class and hierachy	US-PGPUB; USPAT	OR	ON	2007/12/19 14:16
S122	3	S121 and S115	US-PGPUB; USPAT	OR	ON	2007/12/19 14:15

S123	1562	object near2 oriented near2 class and hierarchy	US-PGPUB; USPAT	OR	ON	2007/12/19 14:16
S124	7364	(object near5 hierarchy)	US-PGPUB; USPAT	OR	ON	2007/12/19 14:17
S125	711	S124 and S116 and S115	US-PGPUB; USPAT	OR	ON	2007/12/19 14:17
S126	2	S125 and java and pearl	US-PGPUB; USPAT	OR	ON	2007/12/19 14:18
S127	2	"20020038206"	US-PGPUB; USPAT	OR	ON	2007/12/19 14:17
S128	2	S125 and pearl	US-PGPUB; USPAT	OR	ON	2007/12/19 14:18
S129	413	S125 and java	US-PGPUB; USPAT	OR	ON	2007/12/19 14:19
S130	6282	script near2 program	US-PGPUB; USPAT	OR	ON	2007/12/19 14:19
S131	22	S129 and S130	US-PGPUB; USPAT	OR	ON	2007/12/19 14:19
S132	9	("5794259"   "5973696"   "6023578"   "6115719"   "6249291"   "6446109"   "6476828"   "6558431"   "6598219").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/19 14:56
S133	1	"20050015485" and hierarchy	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/19 14:57
S134	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 09:53
S135	1	"6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 09:57
S136	1	"6349306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 09:58
S137	2	"6349306".pn. "6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 11:35
S138	1	S137 and (threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 11:35
S139	0	S137 and (cpu near2 usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 11:35

S140	2	S137 and (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 11:37
S141	52200	object near2 orient\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:00
S142	2480	S141 same hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:00
S143	26309	monitor\$3 with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:00
S144	136	S142 and S143	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:01
S145	13972053	@ad<"20030627" @rlad<"20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:01
S146	1141	S144 and12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:01
S147	119	S144 and S145	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:01
S148	9325	class same hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:06
S149	102	S147 and S148	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:06
S150	1	"6349306".pn. and monitor \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:30
S151	0	"6061724".pn. and monitor \$3 and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:46
S152	1	"6061724".pn. and monitor \$3 and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:46

S153	1184	"MI B" and monitor\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:46
S154	890	S153 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:47
S155	890	S153 and (@rlad<"20030627" @ad<"20030627")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:47
S156	135	S155 and (object near2 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:47
S157	0	"6061724" and (monitor\$3 near2 parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 15:06
S158	13	"6061724" and (monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 15:06

5/2/2008 6:17:57 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\10759705.wsp